a ita

26. (amended) A pharmaceutical composition according to claim 23 wherein the β_3 agonist is N-[(2S)-7-ethoxycarbonylmethoxy-1,2,3,4-tetrahydronaphth-2-yl]-(2R)-2-(3-chlorophenyl)-2-hydroxyethanamine or one of its pharmaceutically acceptable salts.

27. (amended) A pharmaceutical composition according to claim 23 containing from 0.5 to 600 mg of CB_1 receptor antagonist and from 0.5 to 600 mg of β_3 -agonist.

a3

32. (amended) A kit according to claim 31 in which said CB_1 receptor antagonist is N-piperidino-5-(4-chlorophenyl)-1-(2,4-dichlorophenyl)-4-methylpyrazole-3-carboxamide, one of its pharmaceutically acceptable salts or one of their solvates and said β_3 -agonist is N-[(2S)-7-ethoxycarbonylmethoxy-1,2,3,4-tetrahydronaphth-2-yl]-(2R)-2-(3-chlorophenyl)-2-hydroxyethanamine or one of its pharmaceutically acceptable salts.

33. (amended) A kit according to claim 30 in which said active principles are in different packagings.

Please add the following new claim:

a⁴

39. (added) A pharmaceutical composition according to claim 26 wherein the CB₁ antagonist is N-piperidino-5-(4-chlorophenyl)-1-(2,4-dichlorophenyl)-4-methylpyrazole-3-carboxamide or one of its pharmaceutically acceptable salts or one of their solvates.

REMARKS

The specification has been amended in order to provide the appropriate cross-reference to related application information.

Claims 1-18 and 34-38, which are directed to the subject matter which was elected for prosecution and allowed in U.S. application Serial No. 09/341,764, have been canceled.

7

THE PERMIT

ve been rewritten in accordance with U.S. practice, and

Claims 19-27 and 32-33 have been rewritten in accordance with U.S. practice, and multiple dependencies have been eliminated from claims 21, 23-27 and 32-33.

New claim 39 is directed to a pharmaceutical composition containing the preferred CB₁ antagonist and B₃ agonist recited separately in composition claims 22 and 26, respectively.

Claims 19-33 and 39 remain in the application

Attached hereto is a marked-up version of the changes made to the specification and claims by the instant amendment. The marked-up version is entitled "Version With Markings To Show Changes Made".

Respectfully submitted,

Dated: Vapuary 11, 2002

Michael D. Alexander Registration No. 36,080

Sanofi-Synthelabo Inc. 9 Great Valley Parkway Malvern, PA 19355 Tel.: (610) 889-8802

Fax: (610) 889-8799

Version With Markings to Show Changes Made

In the specification

On page 1, after the title of the invention and before line 2 insert the following cross reference to related application section was inserted:

-- Cross Reference to Related Applications

This application is a divisional of prior copending application, Serial No. 09/341,764, filed August 19, 1999, which in turn is a 35 U.SC. 371 application of PCT International application No. PCT/FR98/00154, filed January 28, 1998, which in turn claims priority from French application No. 97/00870, filed January 28, 1997.--

In the Claims:

Claims 19-27 and 32-33 have been amended as follows:

- 19. (amended) A pharmaceutical composition containing a CB₁ receptor antagonist and a regulator of metabolic functions <u>together</u> with a pharmaceutical excipient.
- 20. (amended) A pharmaceutical composition according to claim 19[, characterized in that] wherein said regulator of metabolic functions is a β_3 -agonist.
- 21. (amended) A pharmaceutical composition according to claim [19 or] 20[, characterized in that] wherein the CB₁ receptor antagonist is a compound of the formula

$$R_1CH_2$$
 CO-NH-NR₂R₃
 N
 R_7
 R_8
 R_9
 R_6
(II)

in which:

- R₁ is hydrogen, a fluorine, a hydroxyl, a (C₁-C₅)alkoxy, a (C₁-C₅)alkylthio, a hydroxy(C₁-C₅)alkoxy, a group -NR₁₀R₁₁, a cyano, a (C₁-C₅)alkylsulfonyl or a (C₁-C₅)alkylsulfinyl;

- R₂ and R₃ are a (C₁-C₄)alkyl or, together with the nitrogen atom to which they are bonded, form a saturated or unsaturated 5- to 10-membered heterocyclic radical which is unsubstituted or monosubstituted or polysubstituted by a (C₁-C₃)alkyl or by a (C₁-C₃)alkoxy;
- R_4 , R_5 , R_6 , R_7 , R_8 and R_9 are each independently hydrogen, a halogen or a trifluoromethyl, and if R_1 is a fluorine, R_4 , R_5 , R_6 , R_7 , R_8 and/or R_9 can also be a fluoromethyl, with the proviso that at least one of the substituents R_4 or R_7 is other than hydrogen;
- R₁₀ and R₁₁ are each independently hydrogen or a (C₁-C₅)alkyl, or R₁₀ and R₁₁, together with the nitrogen atom to which they are bonded, form a heterocyclic radical selected from pyrrolidin-1-yl, piperidin-1-yl, morpholin-4-yl and piperazin-1-yl, which is unsubstituted or substituted by a (C₁-C₄)alkyl,

one of its salts or one of their solvates.

- 22. (amended) A pharmaceutical composition according to claim 21[, characterized in that] wherein the CB₁ receptor antagonist is N-piperidino-5-(4-chlorophenyl)-1-(2,4-dichlorophenyl)-4-methylpyrazole-3-carboxamide, one of its pharmaceutically acceptable salts or one of their solvates.
- 23. (amended) A pharmaceutical composition according to [any one of claims 20 to 22, characterized in that] claim 21 wherein the β_3 -agonist is a compound of the formula

$$X \xrightarrow{OH} CH-CH_2-NH \longrightarrow OR$$
 (III)

in which:

- X is hydrogen, a halogen, a trifluoromethyl or a (C₁-C₄)alkyl;
- R is hydrogen or a methyl which is unsubstituted or substituted by a carboxyl or an alkoxycarbonyl in which the alkoxy is (C_1-C_6) ,

or one of its pharmaceutically acceptable salts.

24. (amended) A pharmaceutical composition according to [any one of claims 20 to 22, characterized in that claim 21 wherein the β_3 -agonist is a compound of the formula

$$\begin{array}{c|c} OX' & Y & Z \\ \hline | & | & | \\ A-CH-CH_2-N-CH-(CH_2)_n-W- \hline \\ & & R'' \end{array}$$
 (IV)

in which:

- n is 1, 2 or 3;
- A is a benzofuran-2-yl or a phenyl which is unsubstituted or substituted by one or two halogen atoms or by a (C_1-C_4) alkyl or a trifluoromethyl;
- R' is:

- hydrogen;
- $a(C_1-C_6)alkyl;$
- a functional group selected from the following groups: hydroxyl; (C₁-C₆)alkoxy; (C₂-C₆)alkenyloxy; (C₂-C₆)alkynyloxy; (C₃-C₈)cycloalkoxy; (C₃-C₈)cycloalkyl(C₁-C₆)alkoxy; benzyloxy; phenoxy; mercapto; (C₁-C₆)alkylthio; (C₂-C₆)alkenylthio; (C₂-C₆)alkynylthio; (C₃-C₈)cycloalkylthio; (C₃-C₈)cycloalkyl(C₁-C₆)alkylthio; benzylthio; phenylthio; (C₁-C₆)alkylsulfinyl; (C₂-C₆)alkenylsulfinyl; C₆)alkynylsulfinyl; (C₃-C₈)cycloalkylsulfinyl; (C₃-C₈)cycloalkyl(C₁-C₆)alkylsulfinyl; benzylsulfinyl; phenylsulfinyl; (C₁-C₆)alkylsulfonyl; (C₂-C₆)alkenylsulfonyl; (C₂-C₆)alkynylsulfonyl; (C₃-C₈)cycloalkylsulfonyl; (C₃-C₈)cycloalkyl(C₁phenylsulfonyl; cyano; nitro; amino which is C₆)alkylsulfonyl; benzylsulfonyl; unsubstituted or substituted by one or two identical or different radicals selected from (C_1-C_6) alkyl, (C_2-C_6) alkenyl, (C_2-C_6) alkynyl, (C₃-C₈)cycloalkyl, (C₃-C8)cycloalkyl(C1-C6)alkyl, benzyl and phenyl groups; carboxyl; alkoxycarbonyl in which the alkoxy is (C_1-C_6) ; (C_2-C_6) alkenyloxycarbonyl; (C_2-C_6) alkynyloxycarbonyl; (C₃-C₈)cycloalkoxycarbonyl; (C₃-C₈)cycloalkyl(C₁-C₆)alkoxycarbonyl; benzyloxycarbonyl; phenoxycarbonyl; and carbamoyl which is unsubstituted or

substituted on the amino group by one or two identical or different radicals selected from (C_1-C_6) alkyl, (C_2-C_6) alkenyl, (C_2-C_6) alkynyl, (C_3-C_8) -cycloalkyl (C_1-C_6) alkyl, benzyl and phenyl groups;

- a group R''' selected from the following groups: (C_1-C_6) alkyl substituted by a functional group; (C_2-C_6) alkenyl substituted by a functional group; (C_2-C_6) alkynyl substituted by a functional group; phenyl (C_1-C_6) alkyl substituted on the phenyl by a (C_1-C_6) alkyl or by a functional group; phenyl (C_2-C_6) alkenyl substituted on the phenyl by a (C_1-C_6) alkyl or by a functional group; phenyl (C_2-C_6) alkynyl substituted on the phenyl by a (C_1-C_6) alkyl or by a functional group; benzyl substituted on the phenyl by a (C_1-C_6) alkyl or by a functional group; and phenyl which is unsubstituted or substituted by a (C_1-C_6) alkyl or by a functional group, the functional group being as defined above;
- a group O-R", S-R", SO-R" or SO₂-R", in which R" is as defined above;
- a group NR'"R°, in which R'" is as defined above and R° is hydrogen or is as defined above for R'", or R'" and R°, together with the nitrogen to which they are bonded, form a group selected from pyrrolidino, piperidino and morpholino groups;
- a group COOR" or a group CO-SR", in which R" is as defined above;
- a group CONR"R°, in which R" is as defined above and R° is hydrogen or is as defined above for R", or R" and R°, together with the nitrogen to which they are bonded, form a group selected from pyrrolidino, piperidino and morpholino groups;
- a group SO₂NR'''R°, in which R''' is as defined above and R° is hydrogen or is as defined above for R''', or R''' and R°, together with the nitrogen to which they are bonded, form a group selected from pyrrolidino, piperidino and morpholino groups;
- R" is hydrogen; a halogen; a (C₁-C₆)alkyl; a functional group as defined above; a group OR", R" being as defined above; or a group CONR"R°, in which R" is as defined above and R° is hydrogen or is as defined above for R", or R" and R°, together with the nitrogen to which they are bonded, form a group selected from pyrrolidino, piperidino and morpholino groups;
- W is a direct bond or an oxygen atom;
- X' is hydrogen, a (C₁-C₆)alkyl or a (C₁-C₆)alkylcarbonyl;

- Y is hydrogen or a group A'-CH(OH)-CH₂-, A' being identical to A but other than benzofuran-2-yl; or
- X' and Y, taken together, form a methylene group optionally substituted by an alkoxycarbonyl in which the alkoxy is (C₁-C₆); an ethylene group optionally substituted by an oxo group; or a 1,3-propylene group;
- Z is hydrogen or a (C₁-C₆)alkyl, or one of its pharmaceutically acceptable salts.
- 25. (amended) A pharmaceutical composition according to [any one of claims 20 to 22] claim 21 wherein the β_3 -agonist is a compound of the formula

in which:

- E is hydrogen, a (C_1-C_4) alkyl, a (C_1-C_4) alkoxy, a phenyl, a nitro, a halogen atom or a trifluoromethyl;
- L is hydrogen, a (C₁-C₄)alkyl, a (C₁-C₄)alkoxy, a phenyl, a nitro or a halogen atom; or E and L together are a group -CH=CH-CH=CH- or -CH₂-CH₂-CH₂-CH₂-; and
- G is hydrogen, a chlorine atom, a hydroxyl or a group OG', in which G' is a (C_1-C_4) alkyl which is unsubstituted or substituted by a hydroxyl, (C_1-C_4) alkoxy, (C_1-C_4) alkoxycarbonyl, carboxyl or (C_3-C_7) cycloalkyl; a (C_3-C_7) cycloalkyl; or a (C_2-C_4) alkanoyl,

or one of its pharmaceutically acceptable salts.

26. (amended) A pharmaceutical composition according to claim 23[, characterized in that] wherein the β_3 agonist is N-[(2S)-7-ethoxycarbonylmethoxy-1,2,3,4-tetrahydronaphth-2-yl]-(2R)-2-(3-chlorophenyl)-2-hydroxyethanamine or one of its pharmaceutically acceptable salts.

- 27. (amended) A pharmaceutical composition according to [any one of claims 20 to 26] claim 23 containing from 0.5 to 600 mg of CB_1 receptor antagonist and from 0.5 to 600 mg of β_3 -agonist.
- 32. (amended) A kit according to claim [30 or] 31 in which said CB_1 receptor antagonist is N-piperidino-5-(4-chlorophenyl)-1-(2,4-dichlorophenyl)-4-methylpyrazole-3-carboxamide, one of its pharmaceutically acceptable salts or one of their solvates and said β_3 -agonist is N-[(2S)-7-ethoxycarbonylmethoxy-1,2,3,4-tetrahydronaphth-2-yl]-(2R)-2-(3-chlorophenyl)-2-hydroxyethanamine or one of its pharmaceutically acceptable salts.
- 33. (amended) A kit according to [any one of claims 30 to 32] <u>claim 30</u> in which said active principles are in different packagings.

Claims 1-18 and 34-38 have been canceled.

New claim 39 has been added.